

**Board of Commissioners**

315 Tenth Street  
P.O. Box 757  
Worthington, MN 56187-0757



Phone: 507-295-5201  
Fax: 507-372-8363  
administration@co.nobles.mn.us


*“In cooperation with our citizens, we improve the quality of life for individuals, families and communities by fostering a healthy economy and environment.”*

*“Looking Forward with Purpose”*

**COUNTY BOARD – SPECIAL BOARD MEETING  
PROPOSED ADDENDUM  
WEDNESDAY, SEPTEMBER 27, 2023  
NOBLES COUNTY BOARD ROOM**

**7.0 Administrative Presentation**

**7.1 Sanitary Sewer Cleaning & Lining – Coreline Quote**



*"In cooperation with our citizens, we improve the quality of life for individuals, families and communities by fostering a healthy economy and environment."*

*"Looking Forward with Purpose"*

## **COMMISSIONER BRIEFING**

**\*\* ADDENDUM \*\***

**SEPTEMBER 27, 2023**

**NOBLES COUNTY GOVERNMENT CENTER  
SANITARY SEWER CLEANING & LINING – CORELINE QUOTE  
BRUCE HEITKAMP, ADMINISTRATOR**

**Topic:**

Unexpected sanitary sewer failures occurred at the Nobles County Government Center in recent weeks. Nobles County Maintenance has attempted various local options to keep the sewer lines open, with limited success. A new option is available in which Administration and Maintenance believes will be a long term remedy to the issues.

**Discussion:**

CoreLine is an agency which clears calcium and mineral deposits from cast iron sewer pipes and then inserts a poly lining to rebuild the inoperable pipes. There is at least 240' of sewer pipes within the Government Center. The attached estimate is offered for discussion and approval.

**Options:**

- Ask questions, discuss, and approve the CoreLine estimate/quote to clean and line the Government Center' cast iron sewer pipes; or
- Do not act upon the estimate or discuss another option

**Recommendation:**

Administration recommends the Commissioners approve the estimate offered by CoreLine. Other repair options offered procedures which would require sawing out the floor to replace the existing pipe. That would require disruptions to Government Center lease arrangements and at considerable more expense.



404 2nd St.  
 Spencer, SD 57374  
 (877) PiPE-247  
 www.corelinepipes.com

# Estimate

Date	Estimate #
9/19/2023	439

Name / Address
Nobles County Government Center 315 10th St Worthington MN 56187

Project

Item	Description	Qty	Rate	Total
Excavation	Excavation and digging to sewer access. Replace and finish concrete. Customer would be responsible to provide tile if needed.	2	2,500.00	5,000.00T
Jetting & Descaling	Jetting & Descaling sewer lines.	240	100.00	24,000.00T
Lining	Lining Sewer lines and cutting reinstatments.	240	120.00	28,800.00T
	I would also recommend lining the branch lines the restrooms on this line. This is something we can take a look at one we start the project. Added on footages would be billed at 220 per foot. Excise Tax		2.041%	1,179.70
			<b>Total</b>	\$58,979.70